

Collected:

Vegetarian Food Panel: IgA/IgG/IgG4

16020 Linden Ave North, Shoreline, WA 98133, USA


Complete Report

Provider: Sample Report Patient: Accession #:


Sex: Age: Received: Sample Type: DBS
Date of Birth:
Completed:

IgA _____ IgG _____ IgG4 ____


CLIA #: 50D0965661 COLA accredited



Vegetables



Grains/Legumes/Nuts



© US BioTek Laboratories

Reaction Class

Director: Jillian Harrington, PhD, HCLD (ABB)

O I II III IV
Very Low Moderate High Very High



16020 Linden Ave North, Shoreline, WA 98133, USA

Complete Report


Provider: Sample Report

Patient: Accession #: Collected: Sex: Age: Received: Sample Type: DBS
Date of Birth:
Completed:




CLIA #: 50D0965661 COLA accredited


Fruits



Herbs/Spices



Miscellaneous



Egg



© US BioTek Laboratories

Reaction Class

Director: Jillian Harrington, PhD, HCLD (ABB)

| 0 | 1 | II | III | IV | |
|----------|-----|----------|------|-----------|--|
| Very Low | Low | Moderate | High | Very High | |



16020 Linden Ave North, Shoreline, WA 98133, USA

Complete Report

Provider: Sample Report
Patient: Sex: Sample Type: DBS
Accession #: Age: Date of Birth:
Collected: Received: Completed:

IgA IgG IgG4

CLIA #: 50D0965661 COLA accredited

| Dairy | | | | | Vegetables (Conti | nued) | | | |
|----------------------------|-------------|----------------|------------------------|-------------------------|-------------------------|-------------|----------------------|------------------------|-------------------------|
| Antigen Name | Analyte | Class | Value | Very Low Range | Antigen Name | Analyte | Class | Value | Very Low Range |
| Casein | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Onion | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Casein | IgG | Moderate | 5.88 mg/L | <3 mg/L | Onion | IgG | Low | 4.07 mg/L | <3.5 mg/L |
| Casein | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Onion | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Cheddar Cheese | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Pumpkin | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cheddar Cheese | IgG | Low | 4.12 mg/L | <3 mg/L | Pumpkin | IgG | Moderate | 7.33 mg/L | <3 mg/L |
| Cheddar Cheese | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Pumpkin | lgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Cow's Milk | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Spinach | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cow's Milk | IgG | Moderate | 6.17 mg/L | <2 mg/L | Spinach | IgG | Very Low | 3.10 mg/L | <3.5 mg/L |
| Cow's Milk | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Spinach | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Goat's Milk | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Sweet Potato | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Goat's Milk | IgG | Very Low | 1.07 mg/L | <2 mg/L | Sweet Potato | IgG | Very Low | 5.66 mg/L | <7 mg/L |
| Goat's Milk | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Sweet Potato | IgG4 | Very Low | 0.31 mg/L | <1.2 mg/L |
| Whey | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Tomato | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Whey | IgG | Moderate | 6.13 mg/L | <2 mg/L | Tomato | IgG | Low | 4.57 mg/L | <2.8 mg/L |
| Whey | IgG4 | Very Low | 0.03 mg/L | <1.2 mg/L | Tomato | lgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| | | | | | White Potato | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Vegetables | | | | V1 | White Potato | ∕∫lgG | Low | 6.07 mg/L | <5 mg/L |
| Antigen Name | Analyte | Class | Value | Very Low Range | White Potato | lgG4 | Very Low | 0.39 mg/L | <1.2 mg/L |
| Artichoke | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | | | | | |
| Artichoke | IgG | Very Low | 9.82 mg/L | <20 mg/L | Grains/Legumes/N | uts | | | |
| Artichoke | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Antigen Name | Analyte | Class | Value | Very Low Range |
| Asparagus | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Almond | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Asparagus | IgG | High | 16.20 mg/L | <5 mg/L | Almond | IgG | Very Low | 2.74 mg/L | <3 mg/L |
| Asparagus | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Almond | IgG4 | Low | 1.85 mg/L | <1.2 mg/L |
| Avocado | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Barley | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Avocado | IgG | Low | 3.20 mg/L | <2 mg/L | Barley | IgG | High | 8.01 mg/L | <3 mg/L |
| Avocado | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Barley | IgG4 | High | 12.98 mg/L | <1.2 mg/L |
| Beet | IgA | Very Low | 0.00 mg/L | <1,95 mg/L | Buckwheat | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Beet | IgG | Very Low | 4.64 mg/L | <6 mg/L | Buckwheat | IgG | Very Low | 2.91 mg/L | <3 mg/L |
| Beet | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Buckwheat | IgG4 | Very Low | 0.63 mg/L | <1.2 mg/L |
| Broccoli / Brussel Sprouts | IgA | Very Low | 0.00 mg/L | <1,95 mg/L | Cashew Nut | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Broccoli / Brussel Sprouts | IgG | Low | 9.72 mg/L | <7.5 mg/L | Cashew Nut | IgG | Very Low | 2.55 mg/L | <3 mg/L |
| Broccoli / Brussel Sprouts | IgG4 | Very Low | 0.96 mg/L | <1,2 mg/L | Cashew Nut | IgG4 | Moderate | 4.74 mg/L | <1.2 mg/L |
| Cabbage | lgA (| Very Low | 0.00 mg/L | <1.95 mg/L | Chickpea | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cabbage | IgG | Low | 5.96 mg/L | <3.5 mg/L | Chickpea | IgG | Very Low | 2.61 mg/L | <3 mg/L |
| Cabbage | IgG4 | Very Low | 0.11 mg/L | <1.2 mg/L | Chickpea | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Carrot | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Coconut | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Carrot | IgG | Low | 5.26 mg/L | <4 mg/L | Coconut | IgG | Very Low | 2.87 mg/L | <4 mg/L |
| Carrot | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Coconut | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Cauliflower | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Corn | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cauliflower | IgG | Low | 3.16 mg/L | <3 mg/L | Corn | lgG | Low | 6.43 mg/L | <4 mg/L |
| Cauliflower | IgG4 | Very Low | 0.02 mg/L | <1.2 mg/L | Corn | IgG4 | Very Low | 0.52 mg/L | <1.2 mg/L |
| Celery | lgA | Very Low | 0.00 mg/L | <1.95 mg/L | Gliadin | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Celery | IgG | Low | 5.67 mg/L | <4 mg/L | Gliadin | lgG | | 19.80 mg/L | <3.5 mg/L |
| Celery | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Gliadin | IgG4 | | 20.89 mg/L | <1.2 mg/L |
| Cucumber | lgA | Very Low | 0.00 mg/L | <1.95 mg/L | Gluten | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cucumber | IgG | Moderate | 6.57 mg/L | <3 mg/L | Gluten | lgG | | 19.90 mg/L | <3.5 mg/L |
| Cucumber | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Gluten | IgG4 | | 23.61 mg/L | <1.2 mg/L |
| Eggplant | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Green Bean | IgA | Very Low | 1.30 mg/L | <1.2 mg/L <1.95 mg/L |
| Eggplant | IgG | Very Low | 6.39 mg/L | <8 mg/L | Green Bean | IgG | High | 16.52 mg/L | <8 mg/L |
| Eggplant | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Green Bean | IgG4 | High | 13.18 mg/L | <1.2 mg/L |
| Garlic | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Green Pea | IgA | Very Low | 0.00 mg/L | <1.2 mg/L <1.95 mg/L |
| Garlic | IgG | Low | 6.70 mg/L | <6 mg/L | Green Pea | IgG | Low | 3.14 mg/L | <3 mg/L |
| Garlic | IgG4 | Very Low | 0.40 mg/L | <0 mg/L <1.2 mg/L | Green Pea | IgG4 | Very Low | 0.00 mg/L | <3 mg/L <1.2 mg/L |
| Green Bell Pepper | IgG4 IgA | Very Low | 0.40 mg/L 0.00 mg/L | <1.2 mg/L <1.95 mg/L | Hazelnut | IgG4 IgA | Low | 2.28 mg/L | <1.2 mg/L <1.95 mg/L |
| | _ | | = | = | | _ | | 2.26 mg/L 2.71 mg/L | = |
| Green Bell Pepper | IgG | Low Von Low | 5.20 mg/L | <4 mg/L | Hazelnut | IgG | Very Low | - | <4 mg/L |
| Green Bell Pepper | IgG4 | Very Low | 1.03 mg/L | <1.2 mg/L | Hazelnut Kidnov Roan | IgG4 | Very Low | 1.09 mg/L | <1.2 mg/L |
| Lettuce | lgA | Very Low | 0.00 mg/L | <1.95 mg/L | Kidney Bean | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Lettuce | IgG | Moderate | • | <3.5 mg/L | Kidney Bean | IgG | Moderate Moderate | 13.08 mg/L | <8 mg/L |
| Lettuce | IgG4 | Very Low | 0.82 mg/L | <1.2 mg/L | Kidney Bean | lgG4 | Moderate | 8.91 mg/L | <1.2 mg/L |



16020 Linden Ave North, Shoreline, WA 98133, USA

Complete Report

Provider: Sample Report
Patient: Sex: Sample Type: DBS
Accession #: Age: Date of Birth:
Collected: Received: Completed:

IgA _____ IgG _____

CLIA #: 50D0965661 COLA accredited

| | | | | | | | | | COLA accre |
|----------------|----------|------------|-------------|-------------------|------------------|---------|----------|------------|-------------------|
| Grains/Legumes | Nuts (Co | ntinued |) | | Fruits (Continue | ed) | | | |
| Antigen Name | Analyte | Class | Value | Very Low Range | Antigen Name | Analyte | Class | Value | Very Low Range |
| Lentil | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Blueberry | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Lentil | IgG | Very Low | 2.66 mg/L | <4 mg/L | Blueberry | lgG | High | 18.03 mg/L | <8 mg/L |
| Lentil | lgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Blueberry | lgG4 | Very Low | 0.01 mg/L | <1.2 mg/L |
| Lima Bean | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Cantaloupe | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Lima Bean | IgG | Low | 4.46 mg/L | <3 mg/L | Cantaloupe | IgG | Moderate | 19.90 mg/L | <12 mg/L |
| Lima Bean | lgG4 | Moderate | 4.74 mg/L | <1.2 mg/L | Cantaloupe | lgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Millet | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Cherry | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Millet | IgG | Moderate | 9.51 mg/L | <4 mg/L | Cherry | lgG | Very Low | 4.04 mg/L | <5 mg/L |
| Millet | lgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Cherry | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Oat | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Cranberry | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Oat | IgG | High | 12.37 mg/L | <4 mg/L | Cranberry | lgG | Moderate | 8.45 mg/L | <2.8 mg/L |
| Oat | lgG4 | Low | 3.12 mg/L | <1.2 mg/L | Cranberry | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Peanut | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Date | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Peanut | IgG | Low | 4.15 mg/L | <4 mg/L | Date | lgG | Low | 7.17 mg/L | <5 mg/L |
| Peanut | lgG4 | Low | 4.48 mg/L | <1.2 mg/L | Date //// | lgG4 | Low | 1.75 mg/L | <1.2 mg/L |
| Pecan | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Grape | lgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Pecan | IgG | Low | 4.50 mg/L | <4 mg/L | Grape | / lgG | Very Low | 3.26 mg/L | <5 mg/L |
| Pecan | lgG4 | Low | 1.52 mg/L | <1.2 mg/L | Grape | lgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Pine Nut | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Grapefruit | lgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Pine Nut | IgG | Very Low | 2.73 mg/L | <3.5 mg/L | Grapefruit | IgG | Moderate | 6.10 mg/L | <3 mg/L |
| Pine Nut | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Grapefruit | lgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Pinto Bean | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | / Jackfruit // | lgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Pinto Bean | IgG | Moderate | 11.77 mg/L | <4 mg/L | Jackfruit | lgG | Low | 4.12 mg/L | <3.5 mg/L |
| Pinto Bean | IgG4 | Moderate | 5.76 mg/L | <1.2 mg/L | Jackfruit | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Pistachio Nut | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Kiwi | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Pistachio Nut | IgG | Low | 3.26 mg/L | <3 mg/L | Kiwi | IgG | Moderate | 10.69 mg/L | <5 mg/L |
| Pistachio Nut | IgG4 | Low | 2.76 mg/L | <1.2 mg/L | Kiwi | IgG4 | Very Low | 0.19 mg/L | <1.2 mg/L |
| Quinoa | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Lemon | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Quinoa | IgG | Low | 3.51 mg/L | <3 mg/L | Lemon | IgG | Low | 5.98 mg/L | <3.5 mg/L |
| Quinoa | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Lemon | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Rye | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Mango | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Rye | IgG | Moderate | 14.79 mg/L | <4 mg/L | Mango | IgG | Low | 3.48 mg/L | <3 mg/L |
| Rye | IgG4 | High | 16.04 mg/L | <1.2 mg/L | Mango | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Soybean | IgA (| Very Low | / 0.00 mg/⊾ | <1.95 mg/L | Olive | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Soybean | IgG | Very Low | 2.52 mg/L | <3 mg/L | Olive | IgG | Very Low | 0.54 mg/L | <2 mg/L |
| Soybean | IgG4 | Very Low | 0.17 mg/L | <1.2 mg/L | Olive | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Spelt | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Orange | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Spelt | IgG | High | 16.01 mg/L | <6 mg/L | Orange | lgG | Moderate | 5.63 mg/L | <3 mg/L |
| Spelt | IgG4 | Very High | 39.37 mg/L | <1.2 mg/L | Orange | IgG4 | Very Low | 0.18 mg/L | <1.2 mg/L |
| Walnut | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Papaya | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Walnut | IgG | Very Low | 4.92 mg/L | <5 mg/L | Papaya | lgG | Low | 7.30 mg/L | <4 mg/L |
| Walnut | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Papaya | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Wheat | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Peach | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Wheat | IgG | High | 15.36 mg/L | <3.5 mg/L | Peach | lgG | Low | 5.52 mg/L | <3.5 mg/L |
| Wheat | lgG4 | Very High | _ | <1.2 mg/L | Peach | IgG4 | Very Low | 0.33 mg/L | <1.2 mg/L |
| White Rice | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Pear | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| White Rice | lgG | Moderate | 6.29 mg/L | <3.5 mg/L | Pear | IgG | Very Low | 1.08 mg/L | <4 mg/L |
| White Rice | lgG4 | Very Low | 0.12 mg/L | <1.2 mg/L | Pear | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Fruits | | | | | Persimmon | lgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| | | 6 1 | N/- I | Very Low | Persimmon | lgG | Very Low | 2.58 mg/L | <3.5 mg/L |
| Antigen Name | Analyte | Class | Value | Range | Persimmon | IgG4 | Low | 2.22 mg/L | <1.2 mg/L |
| Apple | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Pineapple | lgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Apple | IgG | Very Low | 4.83 mg/L | <5 mg/L | Pineapple | IgG | Low | 12.75 mg/L | <8 mg/L |
| Apple | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Pineapple | IgG4 | Moderate | 5.32 mg/L | <1.2 mg/L |
| Apricot | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Plum | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Apricot | IgG | Low | 3.00 mg/L | <2 mg/L | Plum | IgG | Low | 4.43 mg/L | <3.2 mg/L |
| Apricot | IgG4 | Very Low | 0.05 mg/L | <1.2 mg/L | Plum | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Banana | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | Raspberry | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Banana | IgG | Low | 4.78 mg/L | <4 mg/L | Raspberry | lgG | Low | 4.12 mg/L | <4 mg/L |
| Banana | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | Raspberry | lgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| | | | | | | | | | |



16020 Linden Ave North, Shoreline, WA 98133, USA

Complete Report

Provider: Sample Report

Patient: Sex:
Accession #: Age:
Collected: Received:

Sample Type: DBS
Date of Birth:
Completed:

IgA IgG IgG4

CLIA #: 50D0965661 COLA accredited

Fruits (Continued)

| Antigen Name | Analyte | Class | Value | Very Low Range |
|--------------|---------|----------|-----------|-------------------|
| Strawberry | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Strawberry | IgG | Low | 5.74 mg/L | <3 mg/L |
| Strawberry | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Watermelon | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Watermelon | IgG | Low | 6.66 mg/L | <4 mg/L |
| Watermelon | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |

Egg

| Antigen Name | Analyte | Class | Value | Very Low Range |
|-------------------|---------|-----------|------------|-------------------|
| Chicken Egg White | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Chicken Egg White | IgG | Low | 6.53 mg/L | <3.5 mg/L |
| Chicken Egg White | IgG4 | Very High | 39.37 mg/L | <1.2 mg/L |
| Chicken Egg Yolk | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Chicken Egg Yolk | IgG | Low | 4.37 mg/L | <3 mg/L |
| Chicken Egg Yolk | IgG4 | Very High | 39.37 mg/L | <1.2 mg/L |
| Duck Egg Whole | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Duck Egg Whole | IgG | Low | 2.92 mg/L | <2.8 mg/L |
| Duck Egg Whole | IgG4 | Very High | 39.37 mg/L | <1.2 mg/L |

Herbs/Spices

| Antigen Name | Analyte | Class | Value | Very Low Range |
|--------------|---------|----------|------------|-------------------|
| Basil | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Basil | IgG | Very Low | 7.85 mg/L | <22 mg/L |
| Basil | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Black Pepper | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Black Pepper | IgG | Low | 18.86 mg/L | <15 mg/L |
| Black Pepper | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Chili Pepper | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Chili Pepper | IgG | Very Low | 2.33 mg/L | <3 mg/L |
| Chili Pepper | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Curry Powder | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Curry Powder | IgG | Low | 6.82 mg/L | <5 mg/L |
| Curry Powder | IgG4 | High | 11.94 mg/L | <1.2 mg/L |
| Ginger | lgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Ginger | IgG | Low | 13.94 mg/L | <12 mg/L |
| Ginger | IgG4 | High | 16.06 mg/L | <1.2 mg/L |
| Oregano | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Oregano | IgG | Low | 6.03 mg/L | <6 mg/L |
| Oregano | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |

Miscellaneous

| riiscollaricous | | | | | |
|--------------------------|---------|-----------|------------|-------------------|--|
| Antigen Name | Analyte | Class | Value | Very Low Range | |
| Baker's / Brewer's Yeast | IgA | Low | 2.15 mg/L | <1.95 mg/L | |
| Baker's / Brewer's Yeast | IgG | High | 21.43 mg/L | <3.5 mg/L | |
| Baker's / Brewer's Yeast | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | |
| Button Mushroom | IgA | Low | 2.36 mg/L | <1.95 mg/L | |
| Button Mushroom | IgG | Very Low | 6.31 mg/L | <8 mg/L | |
| Button Mushroom | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | |
| Cane Sugar | IgA | Low | 2.27 mg/L | <1.95 mg/L | |
| Cane Sugar | IgG | High | 40.50 mg/L | <12 mg/L | |
| Cane Sugar | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | |
| Cocoa Bean (Chocolate) | IgA | Very Low | 3.04 mg/L | <5 mg/L | |
| Cocoa Bean (Chocolate) | IgG | Very High | 62.81 mg/L | <24 mg/L | |
| Cocoa Bean (Chocolate) | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | |
| Coffee Bean | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | |
| Coffee Bean | IgG | Moderate | 14.36 mg/L | <8 mg/L | |
| Coffee Bean | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | |
| Flaxseed | IgA | Very Low | 0.00 mg/L | <1.95 mg/L | |
| Flaxseed | IgG | Very Low | 1.70 mg/L | <3 mg/L | |
| Flaxseed | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L | |

Miscellaneous (Continued)

| Antigen Name | Analyte | Class | Value | Very Low Range |
|----------------|---------|----------|------------|-------------------|
| Honey | ΙgΑ | Very Low | 0.00 mg/L | <1.95 mg/L |
| Honey | IgG | Very Low | 2.88 mg/L | <4 mg/L |
| Honey | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Sesame Seed | ΙgΑ | Very Low | 1.64 mg/L | <1.95 mg/L |
| Sesame Seed | IgG | High | 21.23 mg/L | <8 mg/L |
| Sesame Seed | IgG4 | Very Low | 0.69 mg/L | <1.2 mg/L |
| Sunflower Seed | ΙgΑ | Very Low | 0.00 mg/L | <1.95 mg/L |
| Sunflower Seed | IgG | Low | 3.91 mg/L | <3.5 mg/L |
| Sunflower Seed | IgG4 | Low | 4.17 mg/L | <1.2 mg/L |
| | | | | |