




Provider: Sample Report
Patient:
Accession #:
Collected:

Sex:
Age:
Received:


Sample Type: DBS
Date of Birth:
Completed:

IgA 
IgG 
IgG4 

CLIA #: 50D0965661
COLA accredited

Dairy


Bovine-derived unless specified





Egg/Meat/Poultry



Grains/Legumes/Nuts






Fruits



Provider: Sample Report
Patient:
Accession #:
Collected:


Sex:
Age:
Received:

Sample Type: DBS
Date of Birth:
Completed:


IgA 
IgG 
IgG4 

CLIA #: 50D0965661
COLA accredited


Fish/Crustacea/Mollusk





Vegetables



Herbs/Spices



Miscellaneous



Provider: Sample Report
Patient:
Accession #:
Collected:

Sex:
Age:
Received:

Sample Type: DBS
Date of Birth:
Completed:

IgA
 IgG
 IgG4

CLIA #: 50D0965661
 COLA accredited

Dairy

| Antigen Name | Analyte | Class | Value | Very Low Range |
|----------------|---------|----------|-----------|----------------|
| Casein | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Casein | IgG | Moderate | 5.88 mg/L | <3 mg/L |
| Casein | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Cheddar Cheese | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cheddar Cheese | IgG | Low | 4.12 mg/L | <3 mg/L |
| Cheddar Cheese | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Cow's Milk | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cow's Milk | IgG | Moderate | 6.17 mg/L | <2 mg/L |
| Cow's Milk | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Whey | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Whey | IgG | Moderate | 6.13 mg/L | <2 mg/L |
| Whey | IgG4 | Very Low | 0.03 mg/L | <1.2 mg/L |

Grains/Legumes/Nuts

| Antigen Name | Analyte | Class | Value | Very Low Range |
|---------------|---------|-----------|------------|----------------|
| Almond | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Almond | IgG | Very Low | 2.74 mg/L | <3 mg/L |
| Almond | IgG4 | Low | 1.85 mg/L | <1.2 mg/L |
| Barley | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Barley | IgG | High | 8.01 mg/L | <3 mg/L |
| Barley | IgG4 | High | 12.98 mg/L | <1.2 mg/L |
| Buckwheat | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Buckwheat | IgG | Very Low | 2.91 mg/L | <3 mg/L |
| Buckwheat | IgG4 | Very Low | 0.63 mg/L | <1.2 mg/L |
| Cashew Nut | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cashew Nut | IgG | Very Low | 2.55 mg/L | <3 mg/L |
| Cashew Nut | IgG4 | Moderate | 4.74 mg/L | <1.2 mg/L |
| Chestnut | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Chestnut | IgG | Moderate | 11.64 mg/L | <4 mg/L |
| Chestnut | IgG4 | Very Low | 0.94 mg/L | <1.2 mg/L |
| Coconut | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Coconut | IgG | Very Low | 2.87 mg/L | <4 mg/L |
| Coconut | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Corn | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Corn | IgG | Low | 6.43 mg/L | <4 mg/L |
| Corn | IgG4 | Very Low | 0.52 mg/L | <1.2 mg/L |
| Gluten | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Gluten | IgG | Very High | 19.90 mg/L | <3.5 mg/L |
| Gluten | IgG4 | Very High | 23.61 mg/L | <1.2 mg/L |
| Green Bean | IgA | Very Low | 1.30 mg/L | <1.95 mg/L |
| Green Bean | IgG | High | 16.52 mg/L | <8 mg/L |
| Green Bean | IgG4 | High | 13.18 mg/L | <1.2 mg/L |
| Green Pea | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Green Pea | IgG | Low | 3.14 mg/L | <3 mg/L |
| Green Pea | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Kidney Bean | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Kidney Bean | IgG | Moderate | 13.08 mg/L | <8 mg/L |
| Kidney Bean | IgG4 | Moderate | 8.91 mg/L | <1.2 mg/L |
| Macadamia Nut | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Macadamia Nut | IgG | Very Low | 1.50 mg/L | <3 mg/L |
| Macadamia Nut | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Malt | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Malt | IgG | Low | 6.92 mg/L | <4 mg/L |
| Malt | IgG4 | High | 9.99 mg/L | <1.2 mg/L |
| Millet | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Millet | IgG | Moderate | 9.51 mg/L | <4 mg/L |
| Millet | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Oat | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Oat | IgG | High | 12.37 mg/L | <4 mg/L |
| Oat | IgG4 | Low | 3.12 mg/L | <1.2 mg/L |

Grains/Legumes/Nuts (Continued)

| Antigen Name | Analyte | Class | Value | Very Low Range |
|---------------|---------|-----------|------------|----------------|
| Peanut | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Peanut | IgG | Low | 4.15 mg/L | <4 mg/L |
| Peanut | IgG4 | Low | 4.48 mg/L | <1.2 mg/L |
| Pistachio Nut | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Pistachio Nut | IgG | Low | 3.26 mg/L | <3 mg/L |
| Pistachio Nut | IgG4 | Low | 2.76 mg/L | <1.2 mg/L |
| Rye | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Rye | IgG | Moderate | 14.79 mg/L | <4 mg/L |
| Rye | IgG4 | High | 16.04 mg/L | <1.2 mg/L |
| Soybean | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Soybean | IgG | Very Low | 2.52 mg/L | <3 mg/L |
| Soybean | IgG4 | Very Low | 0.17 mg/L | <1.2 mg/L |
| Spelt | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Spelt | IgG | High | 16.01 mg/L | <6 mg/L |
| Spelt | IgG4 | Very High | 39.37 mg/L | <1.2 mg/L |
| Walnut | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Walnut | IgG | Very Low | 4.92 mg/L | <5 mg/L |
| Walnut | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Wheat | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Wheat | IgG | High | 15.36 mg/L | <3.5 mg/L |
| Wheat | IgG4 | Very High | 39.37 mg/L | <1.2 mg/L |
| White Rice | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| White Rice | IgG | Moderate | 6.29 mg/L | <3.5 mg/L |
| White Rice | IgG4 | Very Low | 0.12 mg/L | <1.2 mg/L |

Egg/Meat/Poultry

| Antigen Name | Analyte | Class | Value | Very Low Range |
|-------------------|---------|-----------|------------|----------------|
| Beef | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Beef | IgG | Very Low | 1.38 mg/L | <3 mg/L |
| Beef | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Chicken | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Chicken | IgG | Very Low | 2.06 mg/L | <4 mg/L |
| Chicken | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Chicken Egg White | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Chicken Egg White | IgG | Low | 6.53 mg/L | <3.5 mg/L |
| Chicken Egg White | IgG4 | Very High | 39.37 mg/L | <1.2 mg/L |
| Chicken Egg Yolk | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Chicken Egg Yolk | IgG | Low | 4.37 mg/L | <3 mg/L |
| Chicken Egg Yolk | IgG4 | Very High | 39.37 mg/L | <1.2 mg/L |
| Duck | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Duck | IgG | Very Low | 1.40 mg/L | <2 mg/L |
| Duck | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Duck Egg Whole | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Duck Egg Whole | IgG | Low | 2.92 mg/L | <2.8 mg/L |
| Duck Egg Whole | IgG4 | Very High | 39.37 mg/L | <1.2 mg/L |
| Lamb | IgA | Very Low | 0.61 mg/L | <1.95 mg/L |
| Lamb | IgG | Very Low | 1.82 mg/L | <3 mg/L |
| Lamb | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Pork | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Pork | IgG | Very Low | 1.92 mg/L | <3 mg/L |
| Pork | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |

Fruits

| Antigen Name | Analyte | Class | Value | Very Low Range |
|--------------|---------|----------|-----------|----------------|
| Apple | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Apple | IgG | Very Low | 4.83 mg/L | <5 mg/L |
| Apple | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Apricot | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Apricot | IgG | Low | 3.00 mg/L | <2 mg/L |
| Apricot | IgG4 | Very Low | 0.05 mg/L | <1.2 mg/L |

Provider: Sample Report
Patient:
Accession #:
Collected:

Sex:
Age:
Received:

Sample Type: DBS
Date of Birth:
Completed:

IgA
 IgG
 IgG4

CLIA #: 50D0965661
 COLA accredited

Fruits (Continued)

| Antigen Name | Analyte | Class | Value | Very Low Range |
|--------------|---------|----------|------------|----------------|
| Banana | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Banana | IgG | Low | 4.78 mg/L | <4 mg/L |
| Banana | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Blueberry | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Blueberry | IgG | High | 18.03 mg/L | <8 mg/L |
| Blueberry | IgG4 | Very Low | 0.01 mg/L | <1.2 mg/L |
| Cantaloupe | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cantaloupe | IgG | Moderate | 19.90 mg/L | <12 mg/L |
| Cantaloupe | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Cherry | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cherry | IgG | Very Low | 4.04 mg/L | <5 mg/L |
| Cherry | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Fig | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Fig | IgG | Low | 12.77 mg/L | <10 mg/L |
| Fig | IgG4 | Low | 1.74 mg/L | <1.2 mg/L |
| Grape | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Grape | IgG | Very Low | 3.26 mg/L | <5 mg/L |
| Grape | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Grapefruit | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Grapefruit | IgG | Moderate | 6.10 mg/L | <3 mg/L |
| Grapefruit | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Kiwi | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Kiwi | IgG | Moderate | 10.69 mg/L | <5 mg/L |
| Kiwi | IgG4 | Very Low | 0.19 mg/L | <1.2 mg/L |
| Lemon | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Lemon | IgG | Low | 5.98 mg/L | <3.5 mg/L |
| Lemon | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Mango | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Mango | IgG | Low | 3.48 mg/L | <3 mg/L |
| Mango | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Olive | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Olive | IgG | Very Low | 0.54 mg/L | <2 mg/L |
| Olive | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Orange | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Orange | IgG | Moderate | 5.63 mg/L | <3 mg/L |
| Orange | IgG4 | Very Low | 0.18 mg/L | <1.2 mg/L |
| Peach | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Peach | IgG | Low | 5.52 mg/L | <3.5 mg/L |
| Peach | IgG4 | Very Low | 0.33 mg/L | <1.2 mg/L |
| Pear | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Pear | IgG | Very Low | 1.08 mg/L | <2 mg/L |
| Pear | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Persimmon | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Persimmon | IgG | Very Low | 2.58 mg/L | <3.5 mg/L |
| Persimmon | IgG4 | Low | 2.22 mg/L | <1.2 mg/L |
| Pineapple | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Pineapple | IgG | Low | 12.75 mg/L | <8 mg/L |
| Pineapple | IgG4 | Moderate | 5.32 mg/L | <1.2 mg/L |
| Plum | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Plum | IgG | Low | 4.43 mg/L | <3.2 mg/L |
| Plum | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Strawberry | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Strawberry | IgG | Low | 5.74 mg/L | <3 mg/L |
| Strawberry | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Watermelon | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Watermelon | IgG | Low | 6.66 mg/L | <4 mg/L |
| Watermelon | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |

Fish/Crustacea/Mollusk

| Antigen Name | Analyte | Class | Value | Very Low Range |
|--------------|---------|----------|------------|----------------|
| Clam | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Clam | IgG | Very Low | 1.99 mg/L | <2.5 mg/L |
| Clam | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Cod | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cod | IgG | Low | 4.15 mg/L | <3 mg/L |
| Cod | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Crab | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Crab | IgG | Low | 3.06 mg/L | <3 mg/L |
| Crab | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Halibut | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Halibut | IgG | Very Low | 0.60 mg/L | <2 mg/L |
| Halibut | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Mackerel | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Mackerel | IgG | Very Low | 1.54 mg/L | <4 mg/L |
| Mackerel | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Octopus | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Octopus | IgG | Very Low | 1.31 mg/L | <3 mg/L |
| Octopus | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Oyster | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Oyster | IgG | Very Low | 14.19 mg/L | <16 mg/L |
| Oyster | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Red Snapper | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Red Snapper | IgG | Very Low | 1.46 mg/L | <2 mg/L |
| Red Snapper | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Salmon | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Salmon | IgG | Very Low | 2.33 mg/L | <3 mg/L |
| Salmon | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Sardine | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Sardine | IgG | Very Low | 0.42 mg/L | <2 mg/L |
| Sardine | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Scallop | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Scallop | IgG | Very Low | 1.16 mg/L | <3 mg/L |
| Scallop | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Shrimp | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Shrimp | IgG | Low | 3.58 mg/L | <2.5 mg/L |
| Shrimp | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Squid | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Squid | IgG | Very Low | 1.14 mg/L | <4 mg/L |
| Squid | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Tuna | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Tuna | IgG | Very Low | 2.69 mg/L | <5 mg/L |
| Tuna | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |

Herbs/Spices

| Antigen Name | Analyte | Class | Value | Very Low Range |
|--------------|---------|----------|------------|----------------|
| Basil | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Basil | IgG | Very Low | 7.85 mg/L | <22 mg/L |
| Basil | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Black Pepper | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Black Pepper | IgG | Low | 18.86 mg/L | <15 mg/L |
| Black Pepper | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Chili Pepper | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Chili Pepper | IgG | Very Low | 2.33 mg/L | <3 mg/L |
| Chili Pepper | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Cinnamon | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cinnamon | IgG | Low | 10.39 mg/L | <8 mg/L |
| Cinnamon | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Coriander | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Coriander | IgG | High | 31.41 mg/L | <12 mg/L |
| Coriander | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |

Provider: Sample Report
Patient:
Accession #:
Collected:

Sex:
Age:
Received:

Sample Type: DBS
Date of Birth:
Completed:

IgA
 IgG
 IgG4

CLIA #: 50D0965661
 COLA accredited

Herbs/Spices (Continued)

| Antigen Name | Analyte | Class | Value | Very Low Range |
|--------------|---------|----------|------------|----------------|
| Curry Powder | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Curry Powder | IgG | Low | 6.82 mg/L | <5 mg/L |
| Curry Powder | IgG4 | High | 11.94 mg/L | <1.2 mg/L |
| Ginger | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Ginger | IgG | Low | 13.94 mg/L | <12 mg/L |
| Ginger | IgG4 | High | 16.06 mg/L | <1.2 mg/L |
| Mustard | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Mustard | IgG | Very Low | 3.75 mg/L | <5 mg/L |
| Mustard | IgG4 | Low | 2.13 mg/L | <1.2 mg/L |
| Parsley | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Parsley | IgG | Low | 7.88 mg/L | <5 mg/L |
| Parsley | IgG4 | Very Low | 1.00 mg/L | <1.2 mg/L |
| Peppermint | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Peppermint | IgG | Very Low | 7.92 mg/L | <15 mg/L |
| Peppermint | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Vanilla | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Vanilla | IgG | Low | 17.10 mg/L | <15 mg/L |
| Vanilla | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |

Vegetables (Continued)

| Antigen Name | Analyte | Class | Value | Very Low Range |
|--------------|---------|----------|-----------|----------------|
| Onion | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Onion | IgG | Low | 4.07 mg/L | <3.5 mg/L |
| Onion | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Pumpkin | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Pumpkin | IgG | Moderate | 7.33 mg/L | <3 mg/L |
| Pumpkin | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Spinach | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Spinach | IgG | Very Low | 3.10 mg/L | <3.5 mg/L |
| Spinach | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Sweet Potato | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Sweet Potato | IgG | Very Low | 5.66 mg/L | <7 mg/L |
| Sweet Potato | IgG4 | Very Low | 0.31 mg/L | <1.2 mg/L |
| Tomato | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Tomato | IgG | Low | 4.57 mg/L | <2.8 mg/L |
| Tomato | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| White Potato | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| White Potato | IgG | Low | 6.07 mg/L | <5 mg/L |
| White Potato | IgG4 | Very Low | 0.39 mg/L | <1.2 mg/L |

Vegetables

| Antigen Name | Analyte | Class | Value | Very Low Range |
|----------------------------|---------|----------|------------|----------------|
| Asparagus | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Asparagus | IgG | High | 16.20 mg/L | <5 mg/L |
| Asparagus | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Avocado | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Avocado | IgG | Low | 3.20 mg/L | <2 mg/L |
| Avocado | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Beet | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Beet | IgG | Very Low | 4.64 mg/L | <6 mg/L |
| Beet | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Broccoli / Brussel Sprouts | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Broccoli / Brussel Sprouts | IgG | Low | 9.72 mg/L | <7.5 mg/L |
| Broccoli / Brussel Sprouts | IgG4 | Very Low | 0.96 mg/L | <1.2 mg/L |
| Cabbage | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cabbage | IgG | Low | 5.96 mg/L | <3.5 mg/L |
| Cabbage | IgG4 | Very Low | 0.11 mg/L | <1.2 mg/L |
| Carrot | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Carrot | IgG | Low | 5.26 mg/L | <4 mg/L |
| Carrot | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Cauliflower | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cauliflower | IgG | Low | 3.16 mg/L | <3 mg/L |
| Cauliflower | IgG4 | Very Low | 0.02 mg/L | <1.2 mg/L |
| Celery | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Celery | IgG | Low | 5.67 mg/L | <4 mg/L |
| Celery | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Cucumber | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Cucumber | IgG | Moderate | 6.57 mg/L | <3 mg/L |
| Cucumber | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Eggplant | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Eggplant | IgG | Very Low | 6.39 mg/L | <8 mg/L |
| Eggplant | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Garlic | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Garlic | IgG | Low | 6.70 mg/L | <6 mg/L |
| Garlic | IgG4 | Very Low | 0.40 mg/L | <1.2 mg/L |
| Green Bell Pepper | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Green Bell Pepper | IgG | Low | 5.20 mg/L | <4 mg/L |
| Green Bell Pepper | IgG4 | Very Low | 1.03 mg/L | <1.2 mg/L |
| Lettuce | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Lettuce | IgG | Moderate | 10.42 mg/L | <3.5 mg/L |
| Lettuce | IgG4 | Very Low | 0.82 mg/L | <1.2 mg/L |

Miscellaneous

| Antigen Name | Analyte | Class | Value | Very Low Range |
|--------------------------|---------|-----------|------------|----------------|
| Baker's / Brewer's Yeast | IgA | Low | 2.15 mg/L | <1.95 mg/L |
| Baker's / Brewer's Yeast | IgG | High | 21.43 mg/L | <3.5 mg/L |
| Baker's / Brewer's Yeast | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Black Tea | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Black Tea | IgG | Low | 9.96 mg/L | <6 mg/L |
| Black Tea | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Button Mushroom | IgA | Low | 2.36 mg/L | <1.95 mg/L |
| Button Mushroom | IgG | Very Low | 6.31 mg/L | <8 mg/L |
| Button Mushroom | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Cane Sugar | IgA | Low | 2.27 mg/L | <1.95 mg/L |
| Cane Sugar | IgG | High | 40.50 mg/L | <12 mg/L |
| Cane Sugar | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Cocoa Bean (Chocolate) | IgA | Very Low | 3.04 mg/L | <5 mg/L |
| Cocoa Bean (Chocolate) | IgG | Very High | 62.81 mg/L | <24 mg/L |
| Cocoa Bean (Chocolate) | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Coffee Bean | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Coffee Bean | IgG | Moderate | 14.36 mg/L | <8 mg/L |
| Coffee Bean | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Honey | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Honey | IgG | Very Low | 2.88 mg/L | <4 mg/L |
| Honey | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Hops | IgA | Very Low | 0.00 mg/L | <1.95 mg/L |
| Hops | IgG | Very Low | 9.46 mg/L | <10 mg/L |
| Hops | IgG4 | Very Low | 0.00 mg/L | <1.2 mg/L |
| Sesame Seed | IgA | Very Low | 1.64 mg/L | <1.95 mg/L |
| Sesame Seed | IgG | High | 21.23 mg/L | <8 mg/L |
| Sesame Seed | IgG4 | Very Low | 0.69 mg/L | <1.2 mg/L |