

P: +1.206.365.1256
E: cservice@usbiotek.com
1620 Linden Av N
Shoreline WA, 98133
Dr.- US BIOTEK

LAB ID : 3888860
Collection Date : 08-May-2023
Received Date: 08-May-2023

Accession #: 0000000000

MICROBIOLOGY

STOOL, SPOT Result Range Units

Faecal Virus Profile**Method: PCR**

Norovirus GI and GII:	Not Detected
Rotavirus A:	DETECTED
Adenovirus F40/41:	Not Detected
Sapovirus (genogroups I, II, IV, V):	Not Detected
Human Astrovirus (hAstro):	Not Detected

COMMENT:**ROTAVIRUS:**

Faecal contamination of ingested foods and water. Common cause of childhood diarrhoea eosinophilic gastroenteritis. neonates and infants, Childcare outbreaks are common.

Symptoms include foul smelling green watery stools (diarrhoea), abdominal pain, low-grade fever, irritable and dehydration. Short-lived, lasting about 24-72 hours.

A repeat test for Enteric Viral Pathogens should be requested to ensure that the virus has cleared.

Treatment:

Conservative hygiene measures such as handwashing, Hydration and strict isolation is recommended for cases as such. Other immune modulators that may be beneficial are Vitamins A, C, and D, zinc, Echinacea.

DISCLAIMER:

Any information provided by us is for information purposes only.
Commentary is provided to the practitioner for educational purposes and should not be interpreted as diagnostic or as treatment recommendations.
Diagnosis and treatment decisions are the practitioner's responsibility.